

## Nitrate and Dissolved Organic Carbon Concentrations in Riparian-Zone Ground Water of the Lower San Joaquin River, California

AGU Fall Meeting San Francisco, CA December 14, 2007

Charlie Kratzer, USGS; Brian Bergamaschi, USGS; Randy Dahlgren, UC Davis; Peter Dileanis, USGS; Carol Kendall, USGS; Steve Phillips, USGS; Ann Russell, UC Davis; Calla Schmidt, UC Santa Cruz; and Megan Young, USGS

### **Outline**

- Water Quality Issues and Reason for Study
- Study Area and Study Design
- Monitoring Wells (1988, 9/06 present)
- Boat Reconnaissance (8/07)
- Synoptic sampling (8/07)
- Conclusions



# Water Quality Issues and Reason for Study



## Water Quality Issues

- Nitrate contributes to algal growth in SJR which (1) contributes to low dissolved oxygen in Stockton Deep Water Ship Channel that can be barrier to Chinook salmon migration, and (2) affects cost and effectiveness of water treatment
- Organic Carbon potential for formation of disinfection byproducts when water is treated



#### Reason for Study


Increasing nitrate trend in SJR along with nitrate increases in fertilizer, manure, tile drainage and in soils and regional GW of SJB.


Recent study (2001) showed SJR isotope fingerprint (animal waste) to be different from tributaries (soil N).

Hypothesis to be tested with this study:

GW nitrate from animal waste is a significant source of nitrate in SJR








## Study Area and Study Design



Study Area: 60 river miles from above confluence of Salt Slough to Vernalis





## 3 Approaches to defining GW nitrate (and organic carbon) inputs and sources

#### (1) Nested monitoring wells

- On banks (10'-100') and in-stream (5'-30')
- Continuous temperature and hydraulic gradients
- Modeling (2-D MODFLOW at 3 sites; 1-D heat transport at 6 sites)


#### (2) Boat reconnaissance

Look for GW "hot spots" with continuous water quality measurements just above streambed

#### (3) Synoptic sampling

- 30 transects between 6 fixed sites
- Temperature and hydraulic gradients, and water quality below streambed





### Data being collected

#### **Monitoring Wells**

- EC, pH, DO, temp
- NO3+NO2, NH4, PO4
- DOC/DIC incl. optical scan
- Trace elements
- Isotopes (N, O, S, C) \*
- N<sub>2</sub> and Ar gas \*
- Hydraulic Gradient

#### **Synoptic**

- EC, pH, DO, temp
- NO3+NO2, NH4, PO4
- DOC/DIC incl. optical scan
- Trace elements
- Isotopes (N, O, S, C)
- N<sub>2</sub> and Ar gas
- Hydraulic Gradient

#### **Boat Reconnaissance**

- CDOM, chl-a fluorometer
- EC, temp, pH, DO multiparameter probe
- gps



Monitoring Wells (1988, 9/06 – present)








In-river paired monitoring wells (5-10 ft; 20-30 ft)

Vernalis






#### NO3+NO2 in Monitoring Wells, in mg/L as N






#### NO3+NO2 and NH4 in Monitoring Wells, in mg/L as N






#### DOC in Monitoring Wells, in mg/L as C





#### Electrical Conductivity in Monitoring Wells, in dS/m





## Boat Reconnaissance (8/07)






River water is pumped continuously from 2 depths (bottom and 2-3' above bottom) through multi-parameter probes (temp, pH, DO, EC) and fluorometers (CDOM, chl-a)






#### Preliminary Data from 8/07 Boat Recon, Fremont Ford to Crows Landing





## Synoptic Sampling (8/07)





## Sampling gear for synoptic:

- peristaltic pump
- multiparameter probe
- bottles
- thermistor
- temporary drivepoints
- manometer board
- tagline, etc.







Sampling for N gas using evacuated bottles with hypodermic needle
























## **Conclusions**



- Water quality in the bank wells is surprisingly similar to 20 years ago
- Some sites have very high DOC in streambed relative to GW (bank wells) and river concentrations
- Nitrate and ammonia are inversely related in the streambed, as expected from redox conditions
- Nitrate appears to be high where the upward gradients are highest
- More data collection and interpretation (especially of GW flow rates) is needed!

